

# Rittal – The System.

Faster – better – everywhere.

## Acrylic glazed cover – FT 2785.000

Date : Apr 26, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Acrylic glazed cover – FT 2785.000

created: 26.04.2021 build on www.rittal.com/uk-en



## Product description

<b>Design:</b>	Metric
<b>Description:</b>	With security lock, lock no. 3524 E
<b>Material:</b>	Frame: Extruded aluminium sections with die-cast corner pieces Glass panel: Smoked acrylic
<b>Protection category IP to IEC 60 529:</b>	IP 54
<b>Supply includes:</b>	Hinges and assembly parts. Lock insert no. 3524 E

## Product description

<b>Dimensions:</b>	Width: 400 mm Height: 400 mm Depth: 47.5 mm
<b>Viewing area:</b>	Width: 360 mm Height: 379.5 mm
<b>Build depth for components (max.):</b>	43 mm
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	2.2 kg
<b>Copper weight (kg per piece):</b>	0

<b>EAN:</b>	4028177032293
<b>Customs tariff number:</b>	76101000
<b>ETIM 7.0:</b>	EC002527
<b>ETIM 6.0:</b>	EC002527
<b>eCl@ss 8.0/8.1:</b>	27182301
<b>eCl@ss 6.0/6.1:</b>	27182301
<b>Product description:</b>	FT Acrylic glazed cover, 482.6 mm (19"), WHD: 400x400x47,5 mm
<b>Approvals</b>	
<b>Certificates:</b>	NA