

PRODUCT-DETAILS

2610/6 AP

2610/6 AP Design Busch - Duro 2000



General Information

| | |
|-----------------------|------------------------------------|
| Extended Product Type | 2610/6 AP |
| Product ID | 2CKA001343A0136 |
| EAN | 4011395043707 |
| Catalog Description | 2610/6 AP Design Busch - Duro 2000 |
| Long Description | With screw-type terminals. |

Technical

| | |
|---------------------------|--|
| Function | Function lighting: Control and orientation |
| Rated Voltage (U_r) | 250 V |
| Auxiliary Voltage AC/DC | 250 V AC/DC |
| Rated Current (I_n) | 10 A |
| Maximum Switching Current | Fluorescent Lamps 10 A |
| Number of Rocker Switches | 0 |
| Product Range | carat® |
| Wiring Configuration | Two-way switch |
| Actuator Type | Pull cord |
| Connection Type | Plug Clamp |
| Mounting Type | Surface Mounted |
| Type of Fastening | Screw |
| Surface Finishing | Untreated Glossy |

| | |
|----------------------|--------------------------|
| Material | Duroplast Plastic (2) |
| Label Space Provided | No |
| Illumination | Optional |
| RAL Number | RAL 1013 - Oyster White |
| Color | White |
| Battery Weight | 0 g |
| Number of Batteries | 0 |

Environmental

| | |
|----------------------|-----------------------|
| Degree of Protection | IP20 |
| RoHS Status | No declaration needed |

Dimensions

| | |
|-------------------------------|-------|
| Product Net Width | 63 mm |
| Product Net Height | 47 mm |
| Product Net Depth / Length | 63 mm |
| Product Net Weight | 70 g |

Container Information

| | |
|-----------------------------------|-----------------|
| Package Level 1 Units | carton 10 piece |
| Package Level 1 Width | 158 mm |
| Package Level 1 Height | 76 mm |
| Package Level 1 Depth / Length | 249 mm |
| Package Level 1 Gross Weight | 0.7 kg |
| Package Level 1 EAN | 4011395043707 |

Ordering

| | |
|------------------------|--------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85365080 |
| Country of Origin | Germany (DE) |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|--------------------|
| Declaration of Conformity - CE | 2CKA100000E0260 |
| Instructions and Manuals | No document needed |
| REACH Declaration | 2CKA309999E9999 |

Popular Downloads

| | |
|--------------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
| Instructions and Manuals | No document needed |

Classifications

| | |
|----------------|--|
| ETIM 7 | EC001590 - Switch |
| ETIM 8 | EC001590 - Installation switch |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 8536 50 80 |

Categories

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Mechanical Special Switches → Mechanical Special Switches - Flush Mounted → Mechanical Special Switches

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges IP20 → Design Busch - Duro 2000 → Mechanical Special Switches

