

PRODUCTINFORMATIEBLAD DALI MCU

DALI MCU | Lichtmanagementsystemen



Toepassingsgebieden

- Conference rooms
- Restaurants
- Shop lighting

Productvoordelen

- Intuitive manual dimming and switching
- Individual setting of minimal brightness level

Productkenmerken


- Up to 4 DALI MCUs can be connected in parallel to set up multiple control points
- Automatic synchronization between the control points
- Cover and rotary switch in neutral white
- Length of the DALI control cable: up to 300 m

TECHNISCHE GEGEVENS

ELEKTRISCHE GEGEVENS

Nominale vermogen	2,00 W
Nominale spanning	230 V
Netfrequentie	50/60 Hz

AFMETINGEN & GEWICHT



Lengte	80,00 mm
Montage gat afstand, lengte	70,0 mm
Breedte	80,00 mm
Breedte (incl. ronde armaturen)	80,00 mm
Hoogte	50,00 mm
Hoogte (incl. cylin. armaturen)	50,00 mm
Product gewicht	98,00 g

KLEUREN & MATERIALEN

Kleur van het product	Wit
-----------------------	-----

TEMPERATUREN & BEDRIJFSOMSTANDIGHEDEN

Omgevingstemperatuur bereik	0...+50 °C
-----------------------------	------------

MOGELIJKHEDEN

Dimmable	Ja
Dimmer interface	DALI
Aantal stuuruitgangen	1

CERTIFICATEN & NORMEN

Veiligheidsklasse	II
Type bescherming	IP20

EQUIPMENT / ACCESSORIES

- Suitable for up to 25 electronic control gears
- Flexible expansion via DALI repeaters or further DALI MCUs
- Cover and rotary knob included

DOWNLOADS

DOWNLOADS	
	User instruction 334188_DALI MCU – online training
	User instruction 334190_DALI MCU – application note
	User instruction 334251_DALI MCU – digital rotary dimmer
	User instruction 334686_DALI MCU – digital rotary dimmer
	Declarations of conformity 340446_Declaration of Conformity_MCU
	Advertisements 335613_Scenes

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4008321189721	Vouwdooos 1	83 mm x 68 mm x 83 mm	123.00 g	0.47 dm ³
4008321189738	Verzenddooos 15	430 mm x 149 mm x 210 mm	2190.00 g	13.45 dm ³

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvouden van de verpakkingseenheid invoeren.

DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.