


PRODUCT-DETAILS

US/U4.2

US/U4.2 Universal Interface, 4-fold, FM



General Information

Extended Product Type	US/U4.2
Product ID	GHQ6310070R0111
EAN	4016779564816
Catalog Description	US/U4.2 Universal Interface, 4-fold, FM
Long Description	The Universal Interface has 4 channels which can be parameterised as inputs or outputs, e.g. for connection of conventional push-buttons, auxiliary contacts, LEDs and electronic relays ER/U 1.1. Requires ETS2 V1.2a.

Ordering

EAN	4016779564816
Customs Tariff Number	85176200
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405830105
E-Number (Finland)	2815195
E-Number (Sweden)	1750164

Dimensions

Product Net Depth / Length	40 mm
Product Net Height	39 mm
Product Net Width	12 mm
Product Net Weight	0.044 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779564816
Package Level 1 Depth / Length	23 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.06 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	Flush Mounted

Certificates and Declarations (Document Number)

CB Certificate	9AKK107991A3201
Data Sheet, Technical Information	2CDC504021D0201 2CDC504023D0202
Declaration of Conformity - CE	2CDK510013D2701
Instructions and Manuals	GHQ6307072P0004
RoHS Information	2CDK510013D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC001584 - I/O device for bus system
ETIM 8	EC001584 - I/O device for bus system
eClass	V11.0 : 27143145
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
SCIP	87401064-b528-4b2c-b2eb-7d74cd853bd4 Germany (DE)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Inputs → Universal Interfaces

