

PRODUCT-DETAILS

216EP6

216EP6 Industrial Plug



General Information

| | |
|-----------------------|---|
| Extended Product Type | 216EP6 |
| Product ID | 2CMA101947R1000 |
| EAN | 7392696019477 |
| Catalog Description | 216EP6 Industrial Plug |
| Long Description | Industrial Plugs, 2P+E, 16A, 200 ... 250 V Clock Position Of Grounding Contact 6 hour Color code Blue |

Ordering

| | |
|------------------------|---------------------|
| E-Number (Sweden) | E2416161 |
| E-Number (Finland) | 2420050 |
| E-Number (Norway) | 1540708 |
| EAN | 7392696019477 |
| Country of Origin | Czech Republic (CZ) |
| Minimum Order Quantity | 10 piece |

Dimensions

| | |
|--------------------|---------|
| Product Net Width | 57 mm |
| Product Net Height | 63 mm |
| Product Net Weight | 0.11 kg |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Width | 120 mm |
| Package Level 1 Depth / Length | 138 mm |
| Package Level 1 Height | 285 mm |
| Package Level 1 Gross Weight | 1.1 kg |
| Package Level 1 EAN | 7392696029797 |
| Package Level 1 Units | box 10 piece |

Environmental

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Certificates and Declarations (Document Number)

| | |
|--------------------------------|-----------------|
| CB Certificate | 2CHC660167X0201 |
| Declaration of Conformity - CE | 2CMC700005D0001 |
| Environmental Information | 2CMC000056M0000 |
| RoHS Information | 2CMC700005D0001 |
| SEMKO Certificate | 1617364 |
| REACH Declaration | 2CMC700005D0001 |

Additional Information

| | |
|----------------------------|----------------------------------|
| Additional Information | 2P+E |
| Ambient Temperature | -25 ... 40 °C |
| Cable Cross-Section | 1 ... 2.5 mm ² |
| Cable Diameter | 14 mm |
| Cable Entry Position | Swivel |
| Color | Blue |
| Connection Type | Screw |
| Degree of Protection | IP44 |
| Frequency (f) | 50 Hz 60 Hz |
| Function | Plug |
| Housing Material | Plastic (PA) |
| Invoice Description | Ind. P&S#216EP6 |
| Number of Poles | 3 |
| Order Multiple | 10 piece |
| Product Main Type | EP |
| Product Name | Industrial Plug |
| Protection Type | Splashproof |
| Rated Current (I_n) | 16 A |
| Rated Voltage (U_r) | 200 ... 250 V |
| Recommended Screw Driver | PH2 |
| Standards | IEC 60309-1, -2 |
| Suitable for Product Class | IEC Industrial Plugs and Sockets |
| Instructions and Manuals | 2CMC700014C0016 |
| RAL Number | RAL 7012 - Basalt Grey |

Classifications

| | |
|--------|----------|
| eClass | 27440509 |
| UNSPSC | 39120000 |

Technical

| | |
|-------------------|------------------|
| Wire Size | 14 ... 12 AWG |
| Tightening Torque | WireClamp0.8 N·m |

Categories

Low Voltage Products and Systems → Industrial Plugs and Sockets → Easy & Safe → Plugs

