

Rittal – The System.

Faster – better – everywhere.

► OM supports without contact system – SV 9340.260

Date : Oct 26, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



OM supports without contact system – SV 9340.260

created: 26.10.2021 on www.rittal.com/com-en



Product description

Description: For mounting of switchgear with external power supply.

Material: Polyamide
Fire protection corresponding to UL 94-V0

Colour: Chassis: RAL 7035

Product description

To fit busbars: with cross-section height: 5 mm
with cross-section height: 10 mm

Number of poles: 3-pole

For bar systems with centre-to-centre spacing: 60 mm

Dimensions: Width: 45 mm
Height: 208 mm

Support frame: Width: 45 mm
Height: 170 mm

PinBlock: yes

Packs of: 1 pc(s).

Weight/pack: 0.22 kg

Copper weight (kg per piece):	0
EAN:	4028177504363
Customs tariff number:	85369095
ETIM 7.0:	EC001166
ETIM 6.0:	EC001166
eCl@ss 8.0/8.1:	27400607
eCl@ss 6.0/6.1:	27400607
Product description:	SV OM Support, WH: 45x208 mm, support frame, PinBlock, without contact system
Approvals	
Approvals:	ABS C-UL DNV-GL Lloyds Register of Shipping UL + C-UL
Certificates:	EAC
Declarations:	Declaration of conformity