

Rittal – The System.

Faster – better – everywhere.

► Wiring plan pocket of sheet steel Width- variable, for AX – AX 2515.300

Date : Apr 13, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Wiring plan pocket of sheet steel Width-variable, for AX – AX 2515.300

created: 13.04.2020 on www.rittal.com/com-en



Product description

Description:	For fastening to the perforated door strip at any height. Variable and easily adjustable in the width.
Colour:	RAL 7035
Assembly instruction:	For installation in AX stainless steel, only in conjunction with perforated door strip
Supply includes:	Assembly screws

Product features

Dimensions:	Depth: 35 mm
To fit door width:	600 mm
Clearances:	Clearance width: 475 - 575 Clearance height: 210 mm
Packs of:	1 pc(s).
Copper weight (kg per piece):	0
EAN:	4028177938311
Customs tariff number:	39269097

ETIM 7.0: EC000317

ETIM 6.0: EC000317

eCl@ss 8.0/8.1: 27189267

eCl@ss 6.0/6.1: 27189267

Product description: AX Sheet steel wiring plan pocket, width-variable, L: 475 - 575 mm , for door width 600 mm
