

PRODUCT-DETAILS

DS201S HAF B16/30mA

DS201S HAF B16/30mA Switch disconnecter



General Information

Extended Product Type	DS201S HAF B16/30mA
Product ID	1SPF006906F0311
EAN	8712507103437
Catalog Description	DS201S HAF B16/30mA Switch disconnecter
Long Description	RCBO Comfomaat B16/30mA screwless

Technical

Tripping Characteristic	B
Rated Voltage (U_r)	230 V
Rated Operational Voltage	acc. to IEC 60898-1 230 V
Rated Insulation Voltage (U_i)	500 V
Rated Impulse Withstand Voltage (U_{imp})	4 kV
Input Voltage Type	AC
Rated Current (I_n)	16 A
Rated Short-Circuit Capacity	6 kA
Rated Conditional Short-Circuit Current (I_{nc})	6 kA
Rated Service Short-Circuit Breaking Capacity, in % of I_{cs}	6 kA

Maximum Surge Current	250 kA
Leakage Current Type	A
Frequency (f)	50/60 Hz
Energy Limiting Class	3
Number of Poles	2
Number of Protected Poles	1
Earthing Switch Type	Undelayed
Release Type	B
Number of Batteries	0
Rated Cross-Section	1 - Solid-Core 25...25 mm ² 4 - Multi-Wired 25...25 mm ²

Environmental

Ambient Air Temperature	Operation -25...55 °C
Degree of Protection	IP20
Pollution Degree	2
Environmental Information	9AJK000330

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0.03 A
-------------------------------------	--------

Dimensions

Width in Number of Modular Spacings	2
Product Net Width	85.000 mm
Product Net Height	36.000 mm
Product Net Depth / Length	190.000 mm
Product Net Weight	0.300 kg
Built-In Depth (t ₂)	73 mm

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	100 mm
Package Level 1 Height	85 mm
Package Level 1 Depth / Length	205 mm
Package Level 1 Gross Weight	0.300 kg
Package Level 1 EAN	8712507103437
Package Level 2 Width	85 mm
Package Level 2 Height	36 mm
Package Level 2 Depth / Length	190 mm
Package Level 2 Gross Weight	0.300 kg

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85389099
Country of Origin	Netherlands (NL)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AJK000350
Environmental Information	9AJK000330
Instructions and Manuals	APIM0709-123NL/120824
REACH Declaration	9AJK000330

Popular Downloads

Data Sheet, Technical Information	9AKK106103A5896
Instructions and Manuals	APIM0709-123NL/120824

Classifications

ETIM 7	EC000905 - Earth leakage circuit breaker
ETIM 8	EC000905 - Earth leakage circuit breaker
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85389099
eClass	V11.0 : 27142207
Object Classification Code	Q

Categories

Low Voltage Products and Systems → Enclosures → Consumer Units → Consumer Units → Hafonorm - Accessories

