


PRODUCT-DETAILS

SA/S4.16.5.2

SA/S4.16.5.2 Switch Actuator, 4-fold, 16 A, C-Load, MDRC



General Information

Extended Product Type	SA/S4.16.5.2
Product ID	2CDG110266R0011
EAN	4016779066471
Catalog Description	SA/S4.16.5.2 Switch Actuator, 4-fold, 16 A, C-Load, MDRC
Long Description	The switch actuator uses potential free contacts to switch 4 independent electrical loads via the ABB i-bus® KNX. The device features a manual operation and displaying of the switching state of the outputs. The 16/20 A, 16 A-AC3 (C-load) device is especially suited for loads with high surge currents e.g. flourescent lighting acc. EN 60669.

Ordering

EAN	4016779066471
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405 667 045
E-Number (Finland)	2815622
E-Number (Sweden)	1739952

Dimensions

Product Net Depth / Length	63.5 mm
Product Net Height	90 mm

Product Net Width	70 mm
Product Net Weight	0.236 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779066471
Package Level 1 Depth / Length	126 mm
Package Level 1 Height	96 mm
Package Level 1 Width	120 mm
Package Level 1 Gross Weight	0.313 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-Rail
Width in Number of Modular Spacings	4

Certificates and Declarations (Document Number)

CB Certificate	9AKK107991A3225
Data Sheet, Technical Information	2CDC505197D0211
Declaration of Conformity - CE	2CDK505243D2701
Instructions and Manuals	2CDG941216P0001
RoHS Information	2CDK505243D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 7	EC001097 - Switch actuator for bus system
ETIM 8	EC001097 - Switch actuator for bus system
eClass	V11.0 : 27143125
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 16/20 A

