

PRODUCT-DETAILS

JRA/S 2.230.2.1

JRA/S2.230.2.1 Blind/Roller Shutter Act, 2-f, 230 V AC, Manual Operation, MDRC



General Information	
Extended Product Type	JRA/S 2.230.2.1
Product ID	2CDG110120R0011
EAN	4016779698399
Catalog Description	JRA/S2.230.2.1 Blind/Roller Shutter Act, 2-f, 230 V AC, Manual Operation, MDRC
Long Description	For the control of independent 230 V AC drives via ABB i-bus® KNX. The devices are designed for positioning blinds, roller shutters, awnings and other shading products as well as for controlling doors, windows and ventilation flaps. Additional auxiliary voltage is not needed. To protect the drives, the output contacts are electromechanically locked against each other. Push buttons are located at the front of the device to control the outputs e.g. during commissioning. The current status of the output is displayed via LEDs.

Ordering	
EAN	4016779698399
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405430225
E-Number (Finland)	2815403
E-Number (Sweden)	1751240

64.5 mm

Product Net Height	90 mm
Product Net Width	72 mm
Product Net Weight	0.205 kg

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779698399
Package Level 1 Depth / Length	77 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.205 kg

Technical	
Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-Rail
Width in Number of Modular Spacings	4

CB Certificate	9AKK107991A3191
Data Sheet, Technical	2CDC506040D0201
Information	2CDC506063D0202
Declaration of	2CDK506046D0601
Conformity - CE	
Instructions and	2CDG941080P0004
Manuals	
RoHS Information	2CDG510126-0100

Environmental	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Classifications	
ETIM 7	EC001330 - Shutting actuator for bus system
ETIM 8	EC001330 - Shutting actuator for bus system
eClass	V11.0 : 27143128
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems \rightarrow Home and Building Automation \rightarrow KNX \rightarrow Shading Control \rightarrow Blind Actuators 230 V AC





