

PRODUCT-DETAILS

2247 U

2247 U Flush Mounted Inserts Flush-mounted installation boxes and inserts



General Information

Extended Product Type	2247 U
Product ID	2CKA006512A0057
EAN	4011395360200
Catalog Description	2247 U Flush Mounted Inserts Flush-mounted installation boxes and inserts
Long Description	With rotary control, 2way On-Off switching and soft-catch. Leading Edge control. For incandescent lamps, 230 V tungsten halogen lamps and low-volt halogen lamps with conventional transformer. With adjustable minimum brightness. Without cover plate.

Technical

Suitable For	2CKA006599A0237 2CKA006599A0518 2CKA006599A0591 2CKA006599A1540 2CKA006599A1334 2CKA006599A2803 2CKA006599A2275 2CKA006599A2373 2CKA006599A2324 2CKA006599A1490 2CKA006599A1458 2CKA006599A2861 2CKA006599A2855 2CKA006599A2836 2CKA006599A2842 2CKA006599A2696 2CKA006599A2845 2CKA006599A2858 2CKA006599A2159
--------------	---

	2CKA006599A2084
	2CKA006599A2688
	2CKA006599A2670
	2CKA006599A2864
	2CKA006599A2839
	2CKA006599A2830
	2CKA006599A2852
Rated Voltage (U _r)	230 V
Rated Control Supply Voltage (U _s)	220...240 V
Auxiliary Voltage AC/DC	230 V AC/DC
Frequency (f)	50...50 Hz
Rated Frequency (f)	50 Hz
Power Watt	20...500 V·A
Product Range	Flush-mounted installation boxes and inserts
Actuator Type	Turn/push button
Connection Type	Screw Clamp
Load Type	Inductive load
Mounting Type	Flush Mounted
Surface Finishing	Surface protection: Untreated Surface finishing: Matt
Material	Material quality: Thermoplastic (3) Material: Plastic (3)
Battery Weight	0 g
Number of Batteries	0

Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

Dimensions

Product Net Width	71 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	131 g

Container Information

Package Level 1 Units	carton 1 piece
Package Level 1 Width	92 mm
Package Level 1 Height	58 mm
Package Level 1 Depth / Length	78 mm
Package Level 1 Gross Weight	0.161 kg
Package Level 1 EAN	4011395360200
Package Level 2 Units	10 piece
Package Level 2 Width	168 mm
Package Level 2 Height	112 mm
Package Level 2 Depth / Length	298 mm
Package Level 2 Gross Weight	1.74 kg
Package Level 3 Units	1620 piece
Package Level 3 Width	0.8 m
Package Level 3 Height	1.158 m
Package Level 3 Depth /	1.2 m

Length

Package Level 3 Gross

301.88 kg

Weight

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	3512713
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E1597
Instructions and Manuals	DEBJE-0473-1-5542_ok
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	DEBJE-0473-1-5542_ok

Classifications

ETIM 7	EC000025 - Dimmer
ETIM 8	EC000025 - Dimmer
EPLAN Catalog Tree	Electrical engineering / Sensor, switch, and pushbutton / Switch , pushbutton
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 50 80
eClass	V11.0 : 27144014

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Calle → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-art linear → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → Rotary Dimmer Inserts

Low Voltage Products and Systems → Switch Assortments → Light / LoadControl → Electronic Rotary / Push Button Dimmer (all Loads incl. LED, DALI) → Rotary Dimmer - Flush Mounted → Rotary Dimmer Inserts

