

PRODUCT-DETAILS

S2C-H6R

S2C-H6R Auxiliary Contact



General Information

Extended Product Type	S2C-H6R
Product ID	2CDS200912R0001
EAN	4016779563826
Catalog Description	S2C-H6R Auxiliary Contact
Long Description	Indication of the position of the device's contacts. Suitable for MCBs S 200 series, SN 201 series, RCCBs F 200 series, RCBOs DS201, DS202C, DS 200 series. To be mounted on the right side of the MCBs.

Technical

Standards	CSA Class 3215-30 CSA Class 3215-90 GB/T 14048.5 IEC/EN 60947-5-1 UL 1077
Function	Auxiliary Contact
Suitable For	S200 S200M S200P S200S SN201L+SN201-IH SN201+SN201-IH SN201M+SN201-IH F200 DS201 DS202C DS200 S-ARC1 DS-ARC1

Suitable for Product Class	Miniature Circuit Breaker Residual Current Device
Power Loss	0.5 W Maximum 0.5 W
Number of Auxiliary Contacts NC	0
Number of Auxiliary Contacts NO	0
Number of Auxiliary Contacts CO (SPDT)	1
Accessory Type	Auxiliary Contact
Mounting Position	Right
Technical Information	AUXILIARYCONTACT

Environmental

RoHS Status	Following EU Directive 2011/65/EU
Environmental Information	2CDK400571D0201

Dimensions

Product Net Width	8.8 mm
Product Net Height	85 mm
Product Net Depth / Length	69 mm
Product Net Weight	0.043 kg

Container Information

Package Level 1 Units	blister 1 piece
Package Level 1 Width	20 mm
Package Level 1 Height	115 mm
Package Level 1 Depth / Length	104 mm
Package Level 1 Gross Weight	0.045 kg
Package Level 1 EAN	4016779563826
Package Level 2 Units	60 piece
Package Level 2 Width	275 mm
Package Level 2 Height	210 mm
Package Level 2 Depth / Length	395 mm
Package Level 2 Gross Weight	3.4 kg
Package Level 2 EAN	4016779946193

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85365080
E-Number (Finland)	3210836
E-Number (Sweden)	2102500
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CDK440030D2703
Environmental Information	2CDK400571D0201
Instructions and Manuals	9AKK107680A3433
RoHS Information	2CDK440030D2703

Popular Downloads

Data Sheet, Technical Information	9AKK106930A8017
Instructions and Manuals	9AKK107680A3433

Classifications

ETIM 7	EC001286 - Auxiliary device for distribution board devices
ETIM 8	EC001286 - Auxiliary device for distribution board devices
EPLAN Catalog Tree	Electrical engineering / Protection devices / General
EPLAN Function Definition	Change-over contact / Change-over contact, 3 connection points / Change-over auxiliary contact 4_1_2
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 50 80
UNSPSC	39121614
eClass	V11.0 : 27143502
Object Classification Code	Q

Where Used (as a spare part for "Products")

Identifier	Description	Quantity	Unit Of Measure
9AAC30403877	No Description Available	1	piece
9AAC30404896	No Description Available	1	piece

Product specific part data

Product	Category	Switchgear Part Category
9AAC30403877	SafeRing 36-40,5kV	Auxiliary Contacts
9AAC30404896	SafePlus 36-40,5kV	Auxiliary Contacts

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Miniature Circuit Breakers MCBs Accessories → Auxiliary / Signal Contacts

Medium Voltage Products and Systems → Switchgear and Motor Control → Gas Insulated Secondary Switchgear (SF6) → SafePlus → SafePlus 36-40,5kV

Medium Voltage Products and Systems → Switchgear and Motor Control → Gas Insulated Secondary Switchgear (SF6) → SafeRing → SafeRing 36-40,5kV

