

PRODUCT-DETAILS

0218/12-101

0218/12-101 Flush Mounted Inserts Flush-mounted installation boxes and inserts Grey



General Information

Extended Product Type	0218/12-101
Product ID	2CKA000230A0411
EAN	4011395163870
Catalog Description	0218/12-101 Flush Mounted Inserts Flush-mounted installation boxes and inserts Grey
Long Description	<p>With down-leading outlet and LSA self-cutting clamps. RJ-45 terminals for networks according to Cat 6A, Class EA (10 Gbits/s / 500MHz). Equates to cat. 6a, Class EA according to ISO/IEC 11801:2011-06. Terminal marking A and B according to TIA/EIA-568-B.2. Typ according to EN 60 603-7-51:2011-01. Shielding according to DIN EN 55022, Class B. Up to 500 MHz on all pairs of wires. Suitable for 10-Gigabit Ethernet.</p> <p>Suitable for PoE+ according to IEEE 802.3at, >- 1.000 contact durability. Flex cable entries from all sides without buckles. Earthing of housing via 6,3 mm blade terminal at the back possible. Re-embedded proofed. Suitable for Mix-and-Match operation. Suitable for RJ 11, RJ 12 und RJ 45. For data cables with a diameter of 6 -10 mm. For trunk systems, flush-mounted wall boxes and underfloor systems. For wires of AWG 24 -22. Without claws. Mounting depth: 31 mm.</p>

Technical

Suitable For	2CKA001710A2611 2CKA001710A2033 2CKA001710A3146 2CKA001710A3347 2CKA001753A9111 2CKA001753A0226 2CKA001710A3321 2CKA001710A3615 2CKA001710A3610 2CKA001710A3888 2CKA001710A3911
--------------	---

2CKA001710A3164
 2CKA001753A0084
 2CKA001753A8956
 2CKA001753A0192
 2CKA001753A0083
 2CKA001753A8402
 2CKA001753A8485
 2CKA001753A8501
 2CKA001753A8493
 2CKA001753A0129
 2CKA001753A0161
 2CKA001753A9004
 2CKA001753A9038
 2CKA001710A3764
 2CKA001710A3964
 2CKA001710A3853

Product Range	Flush-mounted installation boxes and inserts
Communication Connector Type	RJ45 8(8)
Connection Type	LSA
Mounting Type	Flush Mounted
Type of Fastening	Screw
Outlet Orientation	Inclined
RAL Number	RAL 9006 - White Aluminium
Color	Grey
Number of Batteries	0

Environmental

Degree of Protection	IP20
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

Dimensions

Product Net Width	71 mm
Product Net Height	32 mm
Product Net Depth / Length	71 mm
Product Net Weight	160 g

Container Information

Package Level 1 Units	carton 1 piece
Package Level 1 Width	60 mm
Package Level 1 Height	85 mm
Package Level 1 Depth / Length	85 mm
Package Level 1 Gross Weight	0.16 kg
Package Level 1 EAN	4011395163870
Package Level 2 Units	10 piece
Package Level 2 Width	176 mm
Package Level 2 Height	90 mm
Package Level 2 Depth / Length	320 mm
Package Level 2 Gross Weight	1.6 kg

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85366990
Country of Origin	Germany (DE)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CKA100000E4219
Instructions and Manuals	DEBJE-0261-17-18_UAE-Anschlussdose_BA BJE_DinA4-Online_dut
REACH Declaration	2CKA309999E9999
RoHS Information	9AKK104295D8727

Popular Downloads

Data Sheet, Technical Information	No document needed
Instructions and Manuals	DEBJE-0261-17-18_UAE-Anschlussdose_BA BJE_DinA4-Online_dut

Classifications

ETIM 7	EC001264 - Data communication connection box copper (twisted pair)
ETIM 8	EC001264 - Data communication connection box copper (twisted pair)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	8536 69 90

Categories

- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - ABB Nordics → Design Calle → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Basic 55 → Design Basic55 → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Allwetter 44 (IP 44) → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Alpha → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-art linear → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Axcent → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Balance SI → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Busch-Dynasty → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Carat → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Future → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Impuls → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Pur Stainless Steel → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design SI → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Busch-Jaeger → Design Solo → Flush Mounted Inserts → RJ45 Connector Inserts
- Low Voltage Products and Systems → Switch Assortments → VDI - Voice / Data / Image Connectors → RJ45 Connector → RJ45 Connector - Flush Mounted → RJ45 Connector Inserts

