



EPN541



Latching relay 4NO 24V

Technical characteristics

Main electrical features

Rated operational voltage Ue	250 / 400 V
Frequency	50/60 Hz
Rated current	16 A

Voltage

Rated insulation voltage	400 V
--------------------------	-------

Dimensions

Depth of installed product	63 mm
Height of installed product	83 mm
Width of installed product	35 mm

Power

Total power loss under IN	4,8 W
---------------------------	-------

Endurance

Number of mechanical operations	500000
---------------------------------	--------

Capacity

Number of modules	2
-------------------	---

Fluorescent bulbs control

Max. power with fluorescent parallel lamps	900 VA
--	--------

Incandescent bulbs control

Max. power with incandescent lamps	1800 W
------------------------------------	--------

Installation, mounting

Tightening torque	1,6Nm
-------------------	-------

Connection

Connection cross-sect. flexible conductor	1 / 6mm ²
Connection cross-sect. rigid cable	1,5 / 10mm ²
Type of connection	with screw
Number of contacts	4
Type of contacts	4NO

Standards

Standard text	IEC/EN 60669-2
European directive WEEE	concerned

Safety

Protection index IP	IP20
---------------------	------

Use conditions

Operating temperature	-5...40 °C
-----------------------	------------