

## FL2S-M-P - series

Double nipple - screw connections




Double pipe nipple similar to EN 10241 (DIN 2982), up to 50 bar

Brass, PN 16	Stainless steel, PN 20	Steel, zinc plated, PN 50	Nominal outer diameter of connection 1 (inch)	Length (mm)
		FL2S-M-EZ-018R-30L		30
	FL2S-M-ST-018R-40L	FL2S-M-EZ-018R-40L / F2KFA-X2	R 1/8	40
	FL2S-M-ST-018R-50L		R 1/8	50
	FL2S-M-ST-018R-60L	FL2S-M-EZ-018R-60L / F2KFB-X2	R 1/8	60
	FL2S-M-ST-018R-80L	FL2S-M-EZ-018R-80L / F2KFC-X2	R 1/8	80
	FL2S-M-ST-018R-100L	FL2S-M-EZ-018R-100L	R 1/8	100
	FL2S-M-ST-018R-120L	FL2S-M-EZ-018R-120L	R 1/8	120
	FL2S-M-ST-014R-30L	FL2S-M-EZ-014R-30L	R 1/4	30
	FL2S-M-ST-014R-40L	FL2S-M-EZ-014R-40L / F2KFG-X2	R 1/4	40
	FL2S-M-ST-014R-60L	FL2S-M-EZ-014R-60L / F2KFH-X2	R 1/4	60
	FL2S-M-ST-014R-70L		R 1/4	70
	FL2S-M-ST-014R-80L	FL2S-M-EZ-014R-80L / F2KFJ-X2	R 1/4	80
	FL2S-M-ST-014R-100L	FL2S-M-EZ-014R-100L / F2KFK-X2	R 1/4	100
	FL2S-M-ST-014R-120L	FL2S-M-EZ-014R-120L / F2KFM-X2	R 1/4	120
	FL2S-M-ST-014R-150L	FL2S-M-EZ-014R-150L / F2KFN-X2	R 1/4	150
	FL2S-M-ST-014R-160L		R 1/4	160
	FL2S-M-ST-014R-180L	FL2S-M-EZ-014R-180L / F2KFP-X2	R 1/4	180
	FL2S-M-ST-014R-200L	FL2S-M-EZ-014R-200L / F2KFQ-X2	R 1/4	200
	FL2S-M-ST-014R-250L	FL2S-M-EZ-014R-250L	R 1/4	250
	FL2S-M-ST-038R-30L		R 3/8	30
FL2S-M-B-038G-40L	FL2S-M-ST-038R-40L	FL2S-M-EZ-038R-40L / F2KFS-X5	R 3/8; G 3/8 (Brass)	40
FL2S-M-B-038G-60L	FL2S-M-ST-038R-60L	FL2S-M-EZ-038R-60L / F2KFT-X2	R 3/8; G 3/8 (Brass)	60
FL2S-M-B-038G-80L	FL2S-M-ST-038R-80L	FL2S-M-EZ-038R-80L / F2KFU-X2	R 3/8; G 3/8 (Brass)	80
FL2S-M-B-038G-100L	FL2S-M-ST-038R-100L	FL2S-M-EZ-038R-100L / F2KFW-X2	R 3/8; G 3/8 (Brass)	100
	FL2S-M-ST-038R-120L	FL2S-M-EZ-038R-120L / F2KFX-X2	R 3/8	120
	FL2S-M-ST-038R-150L	FL2S-M-EZ-038R-150L / F2KFX-X2	R 3/8	150
	FL2S-M-ST-038R-180L	FL2S-M-EZ-038R-180L / F2KFY-X2	R 3/8	180
	FL2S-M-ST-038R-200L	FL2S-M-EZ-038R-200L / F2KFZ-X2	R 3/8	200
	FL2S-M-ST-038R-250L	FL2S-M-EZ-038R-250L	R 3/8	250
	FL2S-M-ST-038R-500L		R 3/8	500
	FL2S-M-ST-012R-25L / F2KC3-X2		R 1/2	25
FL2S-M-B-012G-30L	FL2S-M-ST-012R-30L		R 1/2; G 1/2 (Brass)	30
FL2S-M-B-012G-40L	FL2S-M-ST-012R-40L	FL2S-M-EZ-012R-40L / F2T86-X10	R 1/2; G 1/2 (Brass)	40
FL2S-M-B-012G-60L	FL2S-M-ST-012R-60L	FL2S-M-EZ-012R-60L / F2T87-X10	R 1/2; G 1/2 (Brass)	60
FL2S-M-B-012G-80L	FL2S-M-ST-012R-80L	FL2S-M-EZ-012R-80L / F2T88-X10	R 1/2; G 1/2 (Brass)	80
FL2S-M-B-012G-100L	FL2S-M-ST-012R-100L	FL2S-M-EZ-012R-100L / F2KG6-X5	R 1/2; G 1/2 (Brass)	100
FL2S-M-B-012G-120L	FL2S-M-ST-012R-120L	FL2S-M-EZ-012R-120L / F2KG7-X5	R 1/2; G 1/2 (Brass)	120
FL2S-M-B-012G-150L	FL2S-M-ST-012R-150L	FL2S-M-EZ-012R-150L / F2KG8-X5	R 1/2; G 1/2 (Brass)	150
FL2S-M-B-012G-180L	FL2S-M-ST-012R-180L	FL2S-M-EZ-012R-180L / F2KG9-X5	R 1/2; G 1/2 (Brass)	180
FL2S-M-B-012G-200L	FL2S-M-ST-012R-200L	FL2S-M-EZ-012R-200L / F2KGA-X5	R 1/2; G 1/2 (Brass)	200
	FL2S-M-ST-012R-250L	FL2S-M-EZ-012R-250L / F2KGB-X2	R 1/2	250
	FL2S-M-ST-012R-500L		R 1/2	500
	FL2S-M-ST-034R-30L		R 3/4	30
FL2S-M-B-034G-40L	FL2S-M-ST-034R-40L	FL2S-M-EZ-034R-40L / F2T89-X10	R 3/4; G 3/4 (Brass)	40
	FL2S-M-ST-034R-50L	FL2S-M-EZ-018R-30L	R 3/4	50

Brass, PN 16	Stainless steel, PN 20	Steel, zinc plated, PN 50	Nominal outer diameter of connection 1 (inch)	Length (mm)
FL2S-M-B-034G-60L	FL2S-M-ST-034R-60L	FL2S-M-EZ-034R-60L / F2T8A-X10	R 3/4; G 3/4 (Brass)	60
FL2S-M-B-034G-80L	FL2S-M-ST-034R-80L	FL2S-M-EZ-034R-80L / F2KGE-X5	R 3/4; G 3/4 (Brass)	80
FL2S-M-B-034G-100L	FL2S-M-ST-034R-100L	FL2S-M-EZ-034R-100L / F2KGF-X5	R 3/4; G 3/4 (Brass)	100
FL2S-M-B-034G-120L	FL2S-M-ST-034R-120L	FL2S-M-EZ-034R-120L / F2KGG-X5	R 3/4; G 3/4 (Brass)	120
FL2S-M-B-034G-150L	FL2S-M-ST-034R-150L	FL2S-M-EZ-034R-150L / F2KGH-X5	R 3/4; G 3/4 (Brass)	150
FL2S-M-B-034G-180L	FL2S-M-ST-034R-180L	FL2S-M-EZ-034R-180L / F2KJG-X2	R 3/4; G 3/4 (Brass)	180
FL2S-M-B-034G-200L	FL2S-M-ST-034R-200L	FL2S-M-EZ-034R-200L / F2KKG-X2	R 3/4; G 3/4 (Brass)	200
	FL2S-M-ST-034R-250L	FL2S-M-EZ-034R-250L	R 3/4	250
	FL2S-M-ST-100R-30L		R 1	30
FL2S-M-B-100G-40L	FL2S-M-ST-100R-40L	FL2S-M-EZ-100R-40L / F2KGN-X5	R 1; G 1 (Brass)	40
FL2S-M-B-100G-60L	FL2S-M-ST-100R-60L	FL2S-M-EZ-100R-60L / F2KGP-X5	R 1; G 1 (Brass)	60
FL2S-M-B-100G-80L	FL2S-M-ST-100R-80L	FL2S-M-EZ-100R-80L / F2KGG-X5	R 1; G 1 (Brass)	80
FL2S-M-B-100G-100L	FL2S-M-ST-100R-100L	FL2S-M-EZ-100R-100L / F2KGR-X2	R 1; G 1 (Brass)	100
FL2S-M-B-100G-120L	FL2S-M-ST-100R-120L	FL2S-M-EZ-100R-120L / F2KGS-X5	R 1; G 1 (Brass)	120
FL2S-M-B-100G-150L	FL2S-M-ST-100R-150L	FL2S-M-EZ-100R-150L / F2KGT-X2	R 1; G 1 (Brass)	150
	FL2S-M-ST-100R-170L		R 1	170
FL2S-M-B-100G-180L	FL2S-M-ST-100R-180L	FL2S-M-EZ-100R-180L / F2KGU-X2	R 1; G 1 (Brass)	180
FL2S-M-B-100G-200L	FL2S-M-ST-100R-200L	FL2S-M-EZ-100R-200L / F2KGV-X2	R 1; G 1 (Brass)	200
	FL2S-M-ST-100R-250L	FL2S-M-EZ-100R-250L	R 1	250
	FL2S-M-ST-100R-300L		R 1	300
	FL2S-M-ST-100R-400L		R 1	400
	FL2S-M-ST-100R-500L		R 1	500
	FL2S-M-ST-100R-600L		R 1	600
	FL2S-M-ST-114R-30L		R 1 1/4	30
FL2S-M-B-114G-40L	FL2S-M-ST-114R-40L	FL2S-M-EZ-114R-40L / F2KGX-X2	R 1 1/4; G 1 1/4 (Brass)	40
	FL2S-M-ST-114R-50L		R 1 1/4	50
FL2S-M-B-114G-60L	FL2S-M-ST-114R-60L	FL2S-M-EZ-114R-60L / F2KGY-X5	R 1 1/4; G 1 1/4 (Brass)	60
FL2S-M-B-114G-80L	FL2S-M-ST-114R-80L	FL2S-M-EZ-114R-80L / F2KJG-X2	R 1 1/4; G 1 1/4 (Brass)	80
FL2S-M-B-114G-100L	FL2S-M-ST-114R-100L	FL2S-M-EZ-114R-100L / F2KH2-X2	R 1 1/4; G 1 1/4 (Brass)	100
FL2S-M-B-114G-120L	FL2S-M-ST-114R-120L	FL2S-M-EZ-114R-120L / F2KH3-X2	R 1 1/4; G 1 1/4 (Brass)	120
FL2S-M-B-114G-150L	FL2S-M-ST-114R-150L	FL2S-M-EZ-114R-150L / F2KH4-X2	R 1 1/4; G 1 1/4 (Brass)	150
FL2S-M-B-114G-180L	FL2S-M-ST-114R-180L	FL2S-M-EZ-114R-180L / F2KH5-X2	R 1 1/4; G 1 1/4 (Brass)	180
FL2S-M-B-114G-200L	FL2S-M-ST-114R-200L	FL2S-M-EZ-114R-200L	R 1 1/4; G 1 1/4 (Brass)	200
	FL2S-M-ST-114R-250L	FL2S-M-EZ-114R-250L	R 1 1/4	250
	FL2S-M-ST-114R-300L	FL2S-M-EZ-114R-300L	R 1 1/4	300
FL2S-M-B-112G-40L	FL2S-M-ST-112R-40L	FL2S-M-EZ-112R-40L / F2KH9-X2	R 1 1/2; G 1 1/2 (Brass)	40
FL2S-M-B-112G-60L	FL2S-M-ST-112R-60L	FL2S-M-EZ-112R-60L / F2KHA-X2	R 1 1/2; G 1 1/2 (Brass)	60
FL2S-M-B-112G-80L	FL2S-M-ST-112R-80L	FL2S-M-EZ-112R-80L / F2KHB-X2	R 1 1/2; G 1 1/2 (Brass)	80
FL2S-M-B-112G-100L	FL2S-M-ST-112R-100L	FL2S-M-EZ-112R-100L / F2KHC-X2	R 1 1/2; G 1 1/2 (Brass)	100
FL2S-M-B-112G-120L	FL2S-M-ST-112R-120L	FL2S-M-EZ-112R-120L / F2KHD-X2	R 1 1/2; G 1 1/2 (Brass)	120
FL2S-M-B-112G-150L	FL2S-M-ST-112R-150L	FL2S-M-EZ-112R-150L / F2KHE-X2	R 1 1/2; G 1 1/2 (Brass)	150
FL2S-M-B-112G-180L	FL2S-M-ST-112R-180L	FL2S-M-EZ-112R-180L / F2KHF-X2	R 1 1/2; G 1 1/2 (Brass)	180
FL2S-M-B-112G-200L	FL2S-M-ST-112R-200L	FL2S-M-EZ-112R-200L	R 1 1/2; G 1 1/2 (Brass)	200
	FL2S-M-ST-112R-240L		R 1 1/2	240
	FL2S-M-ST-112R-250L	FL2S-M-EZ-112R-250L	R 1 1/2	250
	FL2S-M-ST-112R-300L	FL2S-M-EZ-112R-300L	R 1 1/2	300
	FL2S-M-ST-112R-600L		R 1 1/2	600
	FL2S-M-ST-200R-30L		R 2	30
	FL2S-M-ST-200R-40L	FL2S-M-EZ-200R-40L	R 2	40
	FL2S-M-ST-200R-50L		R 2	50
FL2S-M-B-200G-60L	FL2S-M-ST-200R-60L	FL2S-M-EZ-200R-60L	R 2; G 2 (Brass)	60
FL2S-M-B-200G-80L	FL2S-M-ST-200R-80L	FL2S-M-EZ-200R-80L / F2KHN-X2	R 2; G 2 (Brass)	80
FL2S-M-B-200G-100L	FL2S-M-ST-200R-100L	FL2S-M-EZ-200R-100L / F2KHP-X2	R 2; G 2 (Brass)	100
FL2S-M-B-200G-120L	FL2S-M-ST-200R-120L	FL2S-M-EZ-200R-120L / F2KHQ-X2	R 2; G 2 (Brass)	120
	FL2S-M-ST-200R-130L		R 2	120
FL2S-M-B-200G-150L	FL2S-M-ST-200R-150L	FL2S-M-EZ-200R-150L	R 2; G 2 (Brass)	150

Brass, PN 16	Stainless steel, PN 20	Steel, zinc plated, PN 50	Nominal outer diameter of connection 1 (inch)	Length (mm)
FL2S-M-B-200G-200L	FL2S-M-ST-200R-180L	FL2S-M-EZ-200R-180L	R 2	180
	FL2S-M-ST-200R-200L	FL2S-M-EZ-200R-200L	R 2; G 2 (Brass)	200
	FL2S-M-ST-200R-250L	FL2S-M-EZ-200R-250L	R 2	250
	FL2S-M-ST-200R-300L	FL2S-M-EZ-200R-300L	R 2	300
	FL2S-M-ST-212R-80L	FL2S-M-EZ-212R-80L	R 2 1/2	80
	FL2S-M-ST-212R-100L	FL2S-M-EZ-212R-100L	R 2 1/2	100
	FL2S-M-ST-212R-120L	FL2S-M-EZ-212R-120L	R 2 1/2	120
	FL2S-M-ST-212R-150L	FL2S-M-EZ-212R-150L	R 2 1/2	150
	FL2S-M-ST-212R-180L	FL2S-M-EZ-212R-180L	R 2 1/2	180
	FL2S-M-ST-212R-200L	FL2S-M-EZ-212R-200L	R 2 1/2	200
	FL2S-M-ST-212R-250L	FL2S-M-EZ-212R-250L	R 2 1/2	250
	FL2S-M-ST-212R-300L	FL2S-M-EZ-212R-300L	R 2 1/2	300
	FL2S-M-ST-212R-620L		R 2 1/2	620
	FL2S-M-ST-300R-80L	FL2S-M-EZ-300R-80L	R 3	80
	FL2S-M-ST-300R-100L	FL2S-M-EZ-300R-100L	R 3	100
	FL2S-M-ST-300R-120L	FL2S-M-EZ-300R-120L	R 3	120
	FL2S-M-ST-300R-150L	FL2S-M-EZ-300R-150L	R 3	150
	FL2S-M-ST-300R-180L	FL2S-M-EZ-300R-180L	R 3	180
	FL2S-M-ST-300R-200L	FL2S-M-EZ-300R-200L	R 3	200
	FL2S-M-ST-300R-250L	FL2S-M-EZ-300R-250L	R 3	250
	FL2S-M-ST-300R-300L	FL2S-M-EZ-300R-300L	R 3	300
	FL2S-M-ST-400R-80L	FL2S-M-EZ-400R-80L	R 4	80
	FL2S-M-ST-400R-100L	FL2S-M-EZ-400R-100L	R 4	100
	FL2S-M-ST-400R-120L	FL2S-M-EZ-400R-120L	R 4	120
	FL2S-M-ST-400R-150L	FL2S-M-EZ-400R-150L	R 4	150
	FL2S-M-ST-400R-200L	FL2S-M-EZ-400R-200L	R 4	200
	FL2S-M-ST-400R-250L	FL2S-M-EZ-400R-250L	R 4	250
	FL2S-M-ST-400R-300L	FL2S-M-EZ-400R-300L	R 4	300



## Welding nipple similar to EN 10241/DIN 2982, to 50 bar

Stainless steel, PN 20	Steel, PN 50	Nominal outer diameter of connection 1 (inch)	Welding connection (mm)	Length (mm)
FL2S-MS-ST-018R-10P2-30L / F2KJN-X2		R 1/8	10.2	30
FL2S-MS-ST-018R-10P2-40L		R 1/8	10.2	40
FL2S-MS-ST-018R-10P2-60L		R 1/8	10.2	60
FL2S-MS-ST-018R-10P2-80L		R 1/8	10.2	80
FL2S-MS-ST-018R-10P2-100L		R 1/8	10.2	100
FL2S-MS-ST-014R-13P5-30L / F2KJT-X2	FL2S-MS-E-014R-13P5-30L / F2KN3-X5	R 1/4	13.5	30
FL2S-MS-ST-014R-13P5-40L	FL2S-MS-E-014R-13P5-40L / F2KN4-X5	R 1/4	13.5	40
FL2S-MS-ST-014R-13P5-60L	FL2S-MS-E-014R-13P5-60L / F2KN5-X5	R 1/4	13.5	60
FL2S-MS-ST-014R-13P5-80L	FL2S-MS-E-014R-13P5-80L / F2KN6-X2	R 1/4	13.5	80
FL2S-MS-ST-014R-13P5-100L	FL2S-MS-E-014R-13P5-100L / F2KN7-X2	R 1/4	13.5	100
FL2S-MS-ST-014R-13P5-120L	FL2S-MS-E-014R-13P5-120L / F2KN8-X2	R 1/4	13.5	120
FL2S-MS-ST-014R-13P5-160L	FL2S-MS-E-014R-13P5-160L / F2KN9-X2	R 1/4	13.5	160
FL2S-MS-ST-014R-13P5-200L	FL2S-MS-E-014R-13P5-200L / F2KNA-X2	R 1/4	13.5	200
FL2S-MS-ST-038R-17P2-30L / F2KK3-X2	FL2S-MS-E-038R-17P2-30L / F2KNB-X5	R 3/8	17.2	30
FL2S-MS-ST-038R-17P2-40L / F2KK4-X2	FL2S-MS-E-038R-17P2-40L / F2KNC-X2	R 3/8	17.2	40
FL2S-MS-ST-038R-17P2-60L	FL2S-MS-E-038R-17P2-60L / F2KND-X2	R 3/8	17.2	60
FL2S-MS-ST-038R-17P2-80L	FL2S-MS-E-038R-17P2-80L / F2KNE-X2	R 3/8	17.2	80
FL2S-MS-ST-038R-17P2-100L	FL2S-MS-E-038R-17P2-100L / F2KNF-X2	R 3/8	17.2	100
FL2S-MS-ST-038R-17P2-120L	FL2S-MS-E-038R-17P2-120L / F2KNG-X2	R 3/8	17.2	120
FL2S-MS-ST-038R-17P2-350L	FL2S-MS-E-038R-17P2-350L	R 3/8	17.2	350
FL2S-MS-ST-012R-21P3-35L	FL2S-MS-E-012R-21P3-35L / F2KNJ-X5	R 1/2	21.3	35
FL2S-MS-ST-012R-21P3-40L	FL2S-MS-E-012R-21P3-40L / F2KNK-X5	R 1/2	21.3	40
FL2S-MS-ST-012R-21P3-60L	FL2S-MS-E-012R-21P3-60L / F2KNM-X5	R 1/2	21.3	60
FL2S-MS-ST-012R-21P3-80L	FL2S-MS-E-012R-21P3-80L / F2KNN-X5	R 1/2	21.3	80
FL2S-MS-ST-012R-21P3-100L	FL2S-MS-E-012R-21P3-100L / F2KNP-X2	R 1/2	21.3	100
FL2S-MS-ST-012R-21P3-120L	FL2S-MS-E-012R-21P3-120L / F2KNQ-X2	R 1/2	21.3	120
FL2S-MS-ST-034R-26P9-30L	FL2S-MS-E-034R-26P9-30L / F2KNR-X2	R 3/4	26.9	30
FL2S-MS-ST-034R-26P9-40L	FL2S-MS-E-034R-26P9-40L / F2KNS-X5	R 3/4	26.9	40
FL2S-MS-ST-034R-26P9-60L	FL2S-MS-E-034R-26P9-60L / F2KNT-X5	R 3/4	26.9	60
FL2S-MS-ST-034R-26P9-80L	FL2S-MS-E-034R-26P9-80L / F2KNU-X5	R 3/4	26.9	80
FL2S-MS-ST-034R-26P9-100L	FL2S-MS-E-034R-26P9-100L / F2KNV-X5	R 3/4	26.9	100
FL2S-MS-ST-034R-26P9-120L	FL2S-MS-E-034R-26P9-120L / F2KNW-X2	R 3/4	26.9	120
FL2S-MS-ST-034R-26P9-200L	FL2S-MS-E-034R-26P9-200L / F2KNX-X2	R 3/4	26.9	200
FL2S-MS-ST-100R-33P7-40L	FL2S-MS-E-100R-33P7-40L / F2KNY-X2	R 1	33.7	40
FL2S-MS-ST-100R-33P7-60L	FL2S-MS-E-100R-33P7-60L / F2KNZ-X2	R 1	33.7	60
FL2S-MS-ST-100R-33P7-80L	FL2S-MS-E-100R-33P7-80L / F2KP2-X2	R 1	33.7	80
FL2S-MS-ST-100R-33P7-100L	FL2S-MS-E-100R-33P7-100L / F2KP3-X2	R 1	33.7	100
FL2S-MS-ST-100R-33P7-120L	FL2S-MS-E-100R-33P7-120L / F2KP4-X2	R 1	33.7	120
FL2S-MS-ST-114R-42P4-50L	FL2S-MS-E-114R-42P4-50L / F2KP5-X2	R 1 1/4	42.4	50
FL2S-MS-ST-114R-42P4-60L	FL2S-MS-E-114R-42P4-60L / F2KP6-X2	R 1 1/4	42.4	60
FL2S-MS-ST-114R-42P4-80L	FL2S-MS-E-114R-42P4-80L / F2KP7-X5	R 1 1/4	42.4	80
FL2S-MS-ST-114R-42P4-100L	FL2S-MS-E-114R-42P4-100L	R 1 1/4	42.4	100
FL2S-MS-ST-114R-42P4-120L	FL2S-MS-E-114R-42P4-120L	R 1 1/4	42.4	120
FL2S-MS-ST-114R-42P4-130L	FL2S-MS-E-114R-42P4-130L	R 1 1/4	42.4	130
FL2S-MS-ST-112R-48P3-50L	FL2S-MS-E-112R-48P3-50L / F2KPB-X2	R 1 1/2	48.3	50

Stainless steel, PN 20	Steel, PN 50	Nominal outer diameter of connection 1 (inch)	Welding connection (mm)	Length (mm)
FL2S-MS-ST-112R-48P3-60L	FL2S-MS-E-112R-48P3-60L / F2KPC-X2	R 1 1/2	48.3	60
FL2S-MS-ST-112R-48P3-80L	FL2S-MS-E-112R-48P3-80L / F2KPD-X2	R 1 1/2	48.3	80
FL2S-MS-ST-112R-48P3-100L	FL2S-MS-E-112R-48P3-100L / F2KPE-X2	R 1 1/2	48.3	100
FL2S-MS-ST-112R-48P3-120L	FL2S-MS-E-112R-48P3-120L / F2KPF-X2	R 1 1/2	48.3	120
FL2S-MS-ST-112R-48P3-150L		R 1 1/2	48.3	150
FL2S-MS-ST-112R-48P3-300L		R 1 1/2	48.3	300
FL2S-MS-ST-200R-60P3-50L	FL2S-MS-E-200R-60P3-50L / F2KPG-X2	R 2	60.3	50
FL2S-MS-ST-200R-60P3-60L	FL2S-MS-E-200R-60P3-60L	R 2	60.3	60
FL2S-MS-ST-200R-60P3-80L	FL2S-MS-E-200R-60P3-80L / F2KPJ-X2	R 2	60.3	80
FL2S-MS-ST-200R-60P3-100L	FL2S-MS-E-200R-60P3-100L	R 2	60.3	100
FL2S-MS-ST-200R-60P3-120L	FL2S-MS-E-200R-60P3-120L	R 2	60.3	120
FL2S-MS-ST-200R-60P3-200L	FL2S-MS-E-200R-60P3-200L	R 2	60.3	200
FL2S-MS-ST-200R-60P3-400L		R 2	60.3	400
FL2S-MS-ST-212R-76P1-50L	FL2S-MS-E-212R-76P1-50L	R 2 1/2	76.1	50
FL2S-MS-ST-212R-76P1-60L	FL2S-MS-E-212R-76P1-60L / F2KPK-X2	R 2 1/2	76.1	60
FL2S-MS-ST-212R-76P1-80L	FL2S-MS-E-212R-76P1-80L	R 2 1/2	76.1	80
FL2S-MS-ST-212R-76P1-100L	FL2S-MS-E-212R-76P1-100L	R 2 1/2	76.1	100
FL2S-MS-ST-212R-76P1-120L	FL2S-MS-E-212R-76P1-120L	R 2 1/2	76.1	120
FL2S-MS-ST-212R-76P1-170L	FL2S-MS-E-212R-76P1-170L	R 2 1/2	76.1	170
FL2S-MS-ST-300R-88P9-50L	FL2S-MS-E-300R-88P9-50L	R 3	88.9	50
FL2S-MS-ST-300R-88P9-60L	FL2S-MS-E-300R-88P9-60L	R 3	88.9	60
FL2S-MS-ST-300R-88P9-70L	FL2S-MS-E-300R-88P9-70L	R 3	88.9	70
FL2S-MS-ST-300R-88P9-80L	FL2S-MS-E-300R-88P9-80L	R 3	88.9	80
FL2S-MS-ST-300R-88P9-100L	FL2S-MS-E-300R-88P9-100L	R 3	88.9	100
FL2S-MS-ST-300R-88P9-120L	FL2S-MS-E-300R-88P9-120L	R 3	88.9	120
FL2S-MS-ST-400R-114P3-50L	FL2S-MS-E-400R-114P3-50L	R 4	114.3	50
FL2S-MS-ST-400R-114P3-60L	FL2S-MS-E-400R-114P3-60L	R 4	114.3	60
FL2S-MS-ST-400R-114P3-80L	FL2S-MS-E-400R-114P3-80L	R 4	114.3	80
FL2S-MS-ST-400R-114P3-100L	FL2S-MS-E-400R-114P3-100L	R 4	114.3	100
FL2S-MS-ST-400R-114P3-120L	FL2S-MS-E-400R-114P3-120L	R 4	114.3	120